----- POPULATION ESTIMATES ------ CANCER INCIDENCE ------ LOCAL PUBLIC HEALTH ------

 	POPULATIO	N ESTIMATE:	S	CANCER 	INCIDENC.	E	LOCAL PUBLIC H	EALTH	Per
Total 1	998 Popula	tion Est	26,570	(Cancer incide	ence is f	or 1997)	Activities Reported	Number	10,000
Perce	nt Female		51.0	Primary Site		Number	Public Health Nursing		
Populat	ion per sa	uare mile	33	IIIMAIY BICE		Hamber	Total clients	1 060	397
Rank	in state	dare mirre	42	Breast		25	Total clients Total visits	3 560	1 333
		ulation de		Cervical		9	Wigita: Passon for		
		lation dens		Colorectal		21	Gen hlth promotion	678	254
/2-1	owese popu	Tacion acm	Sicy.)	Lung, Trachea, &	. Bronchu	a 7	Infant/child hlth	417	156
Age	Female	Male	Total	Prostate	e bi onena	26	Infectious & parasitic	11 /	130
0-14		2,760		Other sites		45 65	Circulatory	2 084	780
	1,030	1 120	2 150	Total		153	Circulatory	38	14
20-24	720	1,120 770	2,150 1,490	l		133	Prenatal Postpartum	75	28
25-29	720 620	770 640	1,490	LONG-7	TEDM CADE		Postpartuill	75	20
30-34	620 730	640 710	1,270	TOING-]	LEKW CAKE		WIC Participants	727	274
	1 000			Gammun i t		Waższa	wic Participants	121	∠/4
35-39	1,020	1,020	2,040 2,140	Community Options	and MA	waiver	Clinic Visits	4 505	1 720
40-44		1,100	∠,⊥ <del>4</del> U	Programs	97 d a t	<b>G</b> =	CIINIC VISITS	4,595	1,/20
45-54	1,670	1,750	3,420	# C COP MA Waivers *	<u> </u>	COSTS	Immunization	3,3//	1,264
55-64	1,220	1,210	2,430	COP	45	\$167,043	Blood pressure	18	./
65-74	1,220	1,010	2,230	MA Waivers *			_		
75-84	1,060	720 220	1,780	CIP1A	3	\$138,220	Environmental Contacts		
85+	490	220	700	CIP1B	46	\$948,351	Env hazards	33	
Total	13,540	13,030	26,570	CIP2	6	\$54,871	Public health nuisance	97	36
				COP-W	48	\$305,313			
Age	Female	Male	Total	CIP1A CIP1B CIP2 COP-W CSLA Brain Inj	0	\$0	School Health		
0-17	3,340	3,450	6,780	Brain Inj	1	\$70,474	Vision screenings		
18-44	4,540	4,670	9,220	Total COP/Wvrs	144	\$1,684,272	Hearing screenings		
45-64	2,890	2,960	5,850						
65+	2,770	2,960 1,950	4,710	\$68,113 of th	ne above 1	Waiver costs	Health Education		
		13,030		were paid as lo	cal matc	h/overmatch	Community sessions	5 59	2
	,	,	, -	using COP funds			Community attendance	59	22
(Poverty	estimates	for 1995 a	are	not included in			School sessions	34	13
		997 profile			2 0.50 ( 0	01 00000.	School sessions School attendance	1.250	468
		s will be		* Waiver costs re	enorted h	ere	Solioo1 accellaalice	1,250	100
	he 2000 Ce		араасса	include federal	funding	CIC	Staffing - FTEs		
	110 2000 00			liicidae rederai	Lanaing	•	Total staff	6	2.2
		OVMENT					Administrators	1	2.2 0 1
		obs covered		Home Health Agend	i ec	1	Administrators Public health nurses	3 T	1 2
		mpensation		Patients	res	170	Public health aides	3	
					000	172 65			•
		is based of		Patients per 10,	ouu pop.	05	Environmental specialis	LS .	•
OI	work, not	place of	residence.	<b></b>		4			
_ , _				Nursing Homes		4			
Labor Fo	<u>rce Estima</u>	tes Annua	aı <u>Average</u>	Licensed beds		365	LOCAL PUBLIC HEAL	TH FUNDI	
Civilia	n labor fo	rce	13,985	Nursing Homes Licensed beds Occupancy rate Residents on 12/		93.2%			Per
Numbe	r employed		13,390	Residents on 12/	31/98	321		Amount	<u>Capita</u>
Numbe	$r_unemploy$	ed	13,985 13,390 595 4.3%	Residents aged 6	55 or old	er	Total funding Local taxes	•	•
Unem	ployment r	ate	4.3%	per 1,000 popu	ılation	66	Local taxes		

----- NATALITY ------Birth Order Births Percent TOTAL LIVE BIRTHS 344 Marital Status First 114 33 of Mother Births Percent 
 Second
 87
 25
 Married
 267
 78

 Third
 50
 15
 Not married
 77
 22

 Fourth or higher
 93
 27
 Unknown
 0
 0

 Unknown
 0
 0
 0
 0
 Crude Live Birth Rate 12.9
General Fertility Rate 66.5 Live births with reported congenital anomalies 7 . % Education First Prenatal of Mother Births Percent vaginal after 1st trimester 241 70 previous cesarean 13 4 2nd trimester 56 16 Forceps 4 1 3rd trimester 38 11 Other vaginal 283 82 No visits 8 2 Primary cesarean 30 9 Unknown 1 <.5 Repeat cesarean 14 4 Other or unknown 0 0 Number of Prenatal Visit Births Percent Elementary or less 76 22 Some high school 23 7
High school 95 28
Some college 80 23
College graduate 69 20
Unknown 1 <.5 Number of Prenatal Smoking Status

Care visits Births Percent of Mother Births Percent 
 Birth Weight
 Births
 Percent
 No visits
 8
 2
 Smoker
 52
 15

 <1,500 gm</td>
 1
 0.3
 1-4 visits
 60
 17
 Nonsmoker
 290
 84

 1,500-2,499 gm
 13
 3.8
 5-9 visits
 56
 16
 Unknown
 2
 1

 2,500+ gm
 330
 95.9
 10-12 visits
 120
 35
 35

 Unknown
 0
 0.0
 13+ visits
 99
 29
 29

 Unknown
 1
 <.5</td>

 Low Birth Weight Trimester of First Prenatal Visit

Total Births (under 2,500 gm) 1st Trimester 2nd Trimester Other/Unknown

Race of Mother Births Percent B White 342 99 14 4.1 240 70 55 16 47 14 Black Other Unknown Low Birth Weight Trimester of First Prenatal Visit
Fertility (under 2,500 gm) 1st Trimester 2nd Trimester Other/Unknown Age of Mother <15 15-17 5 5., . . 22 1 1 5.9 8 47 . . 22 52 8 47 19 12 29 18 6 35 8 19 3 18 <u>Teenage Births</u> 25 24 \* - Not reported. Age or race category has less than 5 births

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus REPORTED\* CASES OF SELECTED DISEASES fetal deaths. Rates are not calculated for fewer than 20 deaths. Disease Number TOTAL DEATHS 312 Selected Crude Death Rate 1,174 Underlying Cause Deaths Rate Campylobacter Enteritis 5 Giardiasis <5 Heart Disease (total) 117 440 

 Giardiasis
 Hepatitis Type A
 0
 Age
 Deaths
 Rate

 Hepatitis Type B\*\*
 0
 1-4
 .
 .
 .

 Hepatitis NANB/C\*\*\*
 1-4
 .
 .
 .

 Legionnaire's
 0
 5-14
 .
 .

 Lyme
 13
 15-19
 1
 .

 Measles
 0
 20-34
 3
 .

 Meningitis, Aseptic
 <5</td>
 35-54
 17
 .

 Meningitis, Bacterial
 0
 55-64
 25
 1,028

 Mumps
 0
 65-74
 50
 2,243

 Pertussis
 0
 75-84
 107
 6,011

 Salmonellosis
 <5</td>
 85+
 108
 15,403

 Coronary heart disease 67 252
Cancer (total) 69 260
Lung 20 75
Colorectal 8 .
Female breast 3 .\*
Cerebrovascular Disease 22 83 Hepatitis Type A
Hepatitis Type B\*\*
Hepatitis NANB/C\*\*\*
Legionnaire's Chron Obstr Pulmonary 10 .
Pneumonia & Influenza 11 .
Injuries 14 . Motor vehicle 4
Diabetes 2 Infectious & Parasitic 2 Tuberculosis Suicide Infant Mortality Deaths Rate \* 1998 provisional data \* Rate for female breast cancer based \*\* Includes all positive HBsAq Total Infant 1 on female population. test results Neonatal 1
Postneonatal .
Unknown . Neonatal 1 \*\*\* Unavailable at time of printing ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH Sexually Transmitted Disease
Chlamydia Trachomatis 13
Genital Herpes <5
Gonorrhea <5 Race of Mother Alcohol 3
Other Drugs 4
Both Mentioned . Alcohol White Black Other Unknown Nongonococcal Cervicitis 0
Nongonococcal Urethritis 0 ----- MOTOR VEHICLE CRASHES -----Syphilis 

 Birth Weight

 <1,500 gm</td>
 1

 1,500-2,499 gm
 .

 2,500+ gm
 .

 Unknown
 .

 Note: These data are based on location ----- IMMUNIZATIONS ----of crash, not on residence. Children in Grades K-12 by Type of Motor Persons Persons Vehicle Crash Injured Killed Compliance Level Compliant 5,388
Non-compliant 21
Percent Compliant 99.6 Total Crashes 289 4 Alcohol-Related 28 1 With Citation: Perinatal For OWI Mortality Deaths Rate 8 Ω For OWI 8 0
For Speeding 14 0
Motorcyclist 22 0
Bicyclist 3 0
Pedestrian 0 0 Total Perinatal 5 .
Neonatal 1 .
Fetal 4 .

------ HOSPITALIZATIONS ------

DIGEN 65 '			Average		Charge				Average	_	Charge
DISEASE /	_	1,000	Stay	Average		DISEASE /	_	1,000	Stay	Average	
AGE GROUP	Number	Pop	(Days)	Charge	<u>Capita</u>	AGE GROUP	Number	Pop	(Days)	Charge	<u>Capita</u>
Injury-Related	: All					Alcohol-Relate	d				
Total	278	10.5	4.4	\$10,209	\$107	Total	46	1.7	3.9	\$3,346	\$6
<18	25	3.7	3.9	\$7,881	\$29	18-44	23	2.5	3.4	\$2,861	\$7
18-44	58	6.3	3.9	\$8,804	\$55	45-64	17				
45-64	59	10.1	4.6	\$9,533	\$96	Pneumonia and	Influenza				
65+	136	28.9		\$11,530	\$333	Total	148	5.6	4.5	\$6,138	\$34
Injury: Hip I				, , ,	,	<18	18				
Total	54	2.0	4.3	\$10,989	\$22	45-64	20	3.4	5.2	\$7,515	\$26
65+	50	10.6		\$11,180	\$119	65+	103	21.9	4.6	\$5,994	\$131
Injury: Pois				77	7	Cerebrovascula				4-7	7-0-
Total	9			_	_	Total	101	3.8	4.1	\$6,554	\$25
18-44	6	•	•	•	•	45-64	13	3.0		40,001	7-5
10 11	Ü	•	•	•	•	65+	86	18.3	4.1	\$6,249	\$11 <b>4</b>
Psychiatric						Chronic Obstru				Q 0 / 2 1 J	7
Total	158	5.9	10.7	\$7,786	\$46	Total	67	2.5	3.1	\$4,402	\$11
<18	19			4.7.00	7 - 0	<18	8			7 2 7 2 3 2	•
18-44	73	7.9	9.7	\$6,240	\$ <b>4</b> 9	18-44	7		•	•	•
45-64	40	6.8	9.9	\$6,834	\$47	45-64	14	•	•	•	•
65+	26	5.5		\$14,748	\$81	65+	38	8.1	3.8	\$5,041	\$41
03.	20	3.3	13.0	Q11//10	ΨOΞ	Drug-Related	30	0.1	3.0	φ3 / 0 II	Y
Coronary Heart	Disease					Total	6				
Total	209	7.9	4 4	\$17,161	\$135	18-44	ĺ	•	•	•	•
45-64	70	12.0		\$20,414	\$244		_	•	•	•	•
65+	135	28.7		\$15,489	\$444	Total Hospital	izations				
031	133	20.7	1.3	φ13, 103	YIII	Total		120.1	3.9	\$7,246	\$870
Malignant Neop	lagmg (Ca	ncers)	- A11			<18	519	76.5	2.8	\$3,293	\$252
Total	124	4.7		\$11,939	\$56	18-44	659	71.5	3.1	\$5,188	\$371
18-44	6		3.7	<b>ΨΙΙ,</b> 232	φ50	45-64	614	104.9	4.6	\$9,748	\$1,023
45-64	42	7.2	6 7	\$14,949	\$107	65+		297.2	4.4	\$8,583	
65+	75	15.9			\$140	031	1,100	271.2	1.1	φ <b>0,</b> 505	φ <b>Ζ</b> ,331
	+ 75 15.9 5.0 \$8,768 \$140 plasms: Female Breast (rates for female population)					PREVENTABLE HOSPITALIZATIONS*					
Total	15			ranare po	·	Total	481	18.1	3.5	\$4,604	\$83
Neoplasms: Co			•	•	•	<18	65	9.6	2.6		\$37
Total	21	0.8	7 2	\$12,849	\$10	18-44	40	4.3	2.6		\$16
65+	16	0.0		Y12,017	÷10	45-64	84	14.4	3.3		\$68
Neoplasms: Li		•	•	•	•	65+	292	62.0	3.9	\$4,740	\$302
Total	14					* Hospitalization					
IOCAI	1-1	•	•	•	•	ambulatory care c					
Diabetes						The definition of					
Total	20	0.8	3.2	\$4,309	\$3	is consistent wi					
65+	10			•		Please refer to t				this page	e in the
					1997 report for an explanation of the change made between						
						1996 and 1997.				<i>J</i> =	